

| | Type | Hits | Search Text | DBs |
|----|------|-------|--|---|
| 1 | BRS | 42549 | directory | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 2 | BRS | 17178 | directory and objects | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 3 | BRS | 6077 | (directory and objects) and parallel | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 4 | BRS | 3616 | ((directory and objects) and parallel) and (template\$ or interfaces) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 5 | BRS | 2768 | ((((directory and objects) and parallel) and (template\$ or interfaces)) and display | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 6 | BRS | 9 | (((((directory and objects) and parallel) and (template\$ or interfaces)) and display) and (description near2 interfaces) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 7 | BRS | 1288 | display near2 tree | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 8 | BRS | 679 | (display near2 tree) and objects | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 9 | BRS | 453 | ((display near2 tree) and objects) and automati\$ | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 10 | BRS | 9 | (((((directory and objects) and parallel) and (template\$ or interfaces)) and display) and (description near2 interfaces)) and (description near2 (interfaces or windows)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 11 | BRS | 5983 | parallel near2 access\$ | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 12 | BRS | 992 | (parallel near2 access\$) and (tree or directory) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 13 | BRS | 492 | ((parallel near2 access\$) and (tree or directory)) and objects | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 14 | BRS | 219 | ((((parallel near2 access\$) and (tree or directory)) and objects) and users | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 15 | BRS | 0 | (((((parallel near2 access\$) and (tree or directory)) and objects) and users) and (description near2 interfaces) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 16 | BRS | 0 | (((((parallel near2 access\$) and (tree or directory)) and objects) and users) and (description near2 windows) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 17 | BRS | 175 | (((((parallel near2 access\$) and (tree or directory)) and objects) and users) and (interfaces or windows) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 18 | BRS | 150 | (((((parallel near2 access\$) and (tree or directory)) and objects) and users) and (interfaces or windows)) and automatically | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 19 | BRS | 1 | (((((parallel near2 access\$) and (tree or directory)) and objects) and users) and (interfaces or windows)) and automatically) and (display\$ near2 (tree or directory)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 20 | BRS | 700 | tree near2 format | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 21 | BRS | 371 | (tree near2 format) and objects | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 22 | BRS | 6 | ((tree near2 format) and objects) and (parallel near2 access\$) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 23 | BRS | 3623 | 707/102 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 24 | BRS | 924 | 707/102 and parallel | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 25 | BRS | 75 | (707/102 and parallel) and (parallel same users) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 26 | BRS | 10 | "L27" and (directory or (file near2 system)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 27 | BRS | 3623 | 707/102 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |

| | Time Stamp | Comments | Error Definition | Errors |
|----|------------------|----------|------------------|--------|
| 55 | 2003/09/23 17:07 | | | 0 |
| 56 | 2003/09/23 17:08 | | | 0 |
| 57 | 2003/09/23 17:08 | | | 0 |
| 58 | 2003/09/23 17:08 | | | 0 |
| 59 | 2003/09/23 17:09 | | | 0 |
| 60 | 2003/09/23 17:14 | | | 0 |
| 61 | 2003/09/23 17:15 | | | 0 |
| 62 | 2003/09/23 17:15 | | | 0 |
| 63 | 2003/09/23 17:16 | | | 0 |
| 64 | 2003/09/23 17:16 | | | 0 |
| 65 | 2003/09/23 17:16 | | | 0 |
| 66 | 2003/09/23 17:17 | | | 0 |
| 67 | 2003/09/24 09:17 | | | 0 |
| 68 | 2003/09/24 09:17 | | | 0 |
| 69 | 2003/09/24 09:53 | | | 0 |
| 70 | 2003/09/24 09:50 | | | 0 |
| 71 | 2003/09/24 09:50 | | | 0 |
| 72 | 2003/09/24 10:07 | | | 0 |
| 73 | 2003/09/24 10:07 | | | 0 |
| 74 | 2003/09/24 10:48 | | | 0 |
| 75 | 2003/09/24 10:54 | | | 0 |
| 76 | 2003/09/24 10:54 | | | 0 |
| 77 | 2003/09/24 10:59 | | | 0 |
| 78 | 2003/09/24 11:20 | | | 0 |
| 79 | 2003/09/24 12:15 | | | 0 |
| 80 | 2003/09/24 12:15 | | | 0 |

| | Type | Hits | Search Text | DBs |
|----|------|-------|---|---|
| 28 | BRS | 678 | 707/102 and (file near2 system) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 29 | BRS | 358 | (707/102 and (file near2 system)) and directory | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 30 | BRS | 302 | ((707/102 and (file near2 system)) and directory) and object | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 31 | BRS | 5006 | automat\$ near2 objects | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 32 | BRS | 410 | (automat\$ near2 objects) and directory | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 33 | BRS | 5 | ((automat\$ near2 objects) and directory) and (telephone near2 book) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 34 | BRS | 426 | (description near2 (windows or interfaces)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 35 | BRS | 71 | ((description near2 (windows or interfaces))) and directory | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 36 | BRS | 35 | ((((description near2 (windows or interfaces))) and directory) and (file near2 system) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 37 | BRS | 22 | ((((description near2 (windows or interfaces))) and directory) and (file near2 system) and automatic\$ | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 38 | BRS | 7 | ((((description near2 (windows or interfaces))) and directory) and (file near2 system) and automatic\$ and parallel | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 39 | BRS | 177 | object-oriented near2 interfaces | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 40 | BRS | 0 | ((object-oriented near2 interfaces) and directory) and automat | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 41 | BRS | 31 | (object-oriented near2 interfaces) and directory | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 42 | BRS | 10012 | automat\$ near2 update\$ | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 43 | BRS | 76 | (automat\$ near2 update\$) and (object\$ near2 directory) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 44 | BRS | 35 | ((automat\$ near2 update\$) and (object\$ near2 directory)) and parallel | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 45 | BRS | 33 | ((automat\$ near2 update\$) and (object\$ near2 directory)) and parallel and interfaces | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 46 | BRS | 206 | users near2 parallel | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 47 | BRS | 6 | (users near2 parallel) and (automat\$ near2 update\$) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 48 | BRS | 9138 | ((parallel or concurrent\$) near2 access\$) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 49 | BRS | 2939 | ((((parallel or concurrent\$) near2 access\$)) and automatica\$ | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 50 | BRS | 876 | (((((parallel or concurrent\$) near2 access\$)) and automatica\$) and (directory or filesystem or (file near2 system))) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 51 | BRS | 1 | ((((((parallel or concurrent\$) near2 access\$)) and automatica\$) and (directory or filesystem or (file near2 system)))) and (description near2 (windows or interfaces)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 52 | BRS | 101 | ((((((parallel or concurrent\$) near2 access\$)) and automatica\$) and (directory or filesystem or (file near2 system)))) and email | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 53 | BRS | 77 | ((((((parallel or concurrent\$) near2 access\$)) and automatica\$) and (directory or filesystem or (file near2 system)))) and email) and display | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 54 | BRS | 25 | ((((((parallel or concurrent\$) near2 access\$)) and automatica\$) and (directory or filesystem or (file near2 system)))) and email) and display | USPAT; EPO; JPO; DERWENT; IBM_TDB |

| | Type | Hits | Search Text | DBs |
|----|------|------|--|-----------------------------------|
| 55 | BRS | 19 | (((((parallel or concurrent\$) near2 access\$)) and automatica\$) and (directory or filesystem or (file near2 system))) and email) and display and objects | USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 56 | BRS | 2 | 5850221.pn. | USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 57 | BRS | 0 | 5850221.pn. and paralell | USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 58 | BRS | 0 | 5850221.pn. and automatic | USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 59 | BRS | 537 | GUI and (automati\$ near2 update\$) | USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 60 | BRS | 2 | 5644740.pn. | USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 61 | BRS | 1 | 5644740.pn. and automat\$ | USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 62 | BRS | 1 | 5644740.pn. and automat\$ and parallel | USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 63 | BRS | 2 | 5644740.pn. | USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 64 | BRS | 1 | 5644740.pn. and parallel | USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 65 | BRS | 1 | 5644740.pn. and parallel and automati\$ | USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 66 | BRS | 1 | 5999179.pn. and automat\$ | USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 67 | BRS | 1 | 5999179.pn. and automat\$ and parallel | USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 68 | BRS | 2 | 6549944.PN. | USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 69 | BRS | 1 | 6549944.PN. and directory | USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 70 | BRS | 1 | 6549944.PN. and tree | USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 71 | BRS | 1 | 5900870.PN. and tree | USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 72 | BRS | 1 | 6549944.PN. and date | USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 73 | BRS | 0 | 6549944.PN. and (description near2 interfaces) | USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 74 | BRS | 1 | 6549944.PN. and descriptions | USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 75 | BRS | 1 | 6549944.PN. and tree | USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 76 | BRS | 0 | 6549944.PN. and copy | USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 77 | BRS | 0 | 6549944.PN. and deletet\$ | USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 78 | BRS | 1 | 6549944.PN. and delete\$ | USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 79 | BRS | 2 | 5974572.pn. | USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 80 | BRS | 2 | 5900870.pn. | USPAT; EPO; JPO; DERWENT; IBM_TDB |